


# Figure 1

Group	Dose (mg/kg)	n	Day 0	Day 28	Day 56
A	0.1/qow	4	23.6 ± 8.1	-11.3 ± 15.1	-4.6 ± 5.6
B	0.1	6	21.2 ± 6.5	-8.2 ± 15.1	-14.1 ± 17.0
C	0.3*	17	25.6 ± 7.4	-24.5 ± 21.7	-40.4 ± 28.1
D	0.3-0.6	6	23.8 ± 4.5	-30.1 ± 13.7	-39.6 ± 28.9
E	0.3-1.0	6	28.1 ± 6.1	-38.6 ± 16.7	-45.4 ± 31.2
Total		39	24.8 ± 6.8	-23.7 ± 20.0	-33.2 ± 28.4


Figure 2

hu1124		
Dose Groups (combined)	Dose (mg/kg)	% Decrease in PASI Score Mean ( $\pm$ S.D)
A+B	0.1	10.3 ( $\pm$ 13.9)
C+D+E	$\geq$ 0.3	41.3 ( $\pm$ 27.9)
p value		.0019


Figure 3



**Figure 4-A**



**Figure 4-B**



**Figure 4-C**




Figure 4-D




Figure 4-E

Day 56

Group	Dose (mg/kg)	# of Patients with Decreased Staining		
		ICAM-1	Ker 16	CD11a
A	0.1/qow	0/4	0/4	0/4
B	0.1	1/4	1/4	2/4
C	0.3	8/12	8/12	12/12
D	0.3-0.6	3/6	5/5	4/5
E	0.3-1.0	3/4	4/4	4/4

Figure 5

Dose		Study Day							
Group	(mg/kg)	0	7	14	21	28	35	42	
A	0.1/qow								
B	0.1		1						
C	0.3	14	3	1	2	4	2	2	
D	0.3-0.6	8		1		1			
E	0.3-1.0	5		1				1	
Total		27	4	3	2	5	2	3	

Figure 6